

VOLVO CONSTRUCTION EQUIPMENT MATRIS REPORT

Machine model L60H	SerialNo 621385	Operating Hours 3054.1	Reading Date 18/09/2019
Company name Flagler Davie FL	Dealer	Report Issuer	
Contact name	Technician rhilton	Primary Application Dozing, Land clearing (e.g. coal, chips)	
Site	Workorder	Ground Condition	

MATRIS Reading, Summary / Recommendation




Machine model	SerialNo	Operating Hours	Reading Date
L60H	621385	3054.1	18/09/2019

Main equipment	Type	Equipment
	Tyre size/class	
	Main Attachment	
	Extra Counterweight	
	Ballast	
	Chains	
	Boom Suspension System	
	Attachment Interface	
	Volume m3 (yd3) / Area m2 (ft2)	
	Attachment make	




Machine model	SerialNo	Operating Hours	Reading Date
L60H	621385	3054.1	18/09/2019

Machine utilization (%)




Total time (h) = 3049.7

Fuel consumption




Machine model	SerialNo	Operating Hours	Reading Date
L60H	621385	3054.1	18/09/2019



Machine speed, distribution (%)



Machine speed, distribution




Machine model	SerialNo	Operating Hours	Reading Date
L60H	621385	3054.1	18/09/2019




Machine model	SerialNo	Operating Hours	Reading Date
L60H	621385	3054.1	18/09/2019



Average speed and distance





Machine ambient temperature distribution (h)





Machine model	SerialNo	Operating Hours	Reading Date
L60H	621385	3054.1	18/09/2019





Machine model	SerialNo	Operating Hours	Reading Date
L60H	621385	3054.1	18/09/2019





Machine model	SerialNo	Operating Hours	Reading Date
L60H	621385	3054.1	18/09/2019





Machine model	SerialNo	Operating Hours	Reading Date
L60H	621385	3054.1	18/09/2019



Machine model	SerialNo	Operating Hours	Reading Date
L60H	621385	3054.1	18/09/2019



Machine model	SerialNo	Operating Hours	Reading Date
L60H	621385	3054.1	18/09/2019



Machine model	SerialNo	Operating Hours	Reading Date
L60H	621385	3054.1	18/09/2019

Starter overheating
Total number of occurrences = 0

Op hours	Year	Month	Day	Hour	Minute
0	2000	0	0	0	0
0	2000	0	0	0	0
0	2000	0	0	0	0
0	2000	0	0	0	0
0	2000	0	0	0	0
0	2000	0	0	0	0
0	2000	0	0	0	0
0	2000	0	0	0	0
0	2000	0	0	0	0
0	2000	0	0	0	0
0	2000	0	0	0	0
0	2000	0	0	0	0
0	2000	0	0	0	0
0	2000	0	0	0	0
0	2000	0	0	0	0
0	2000	0	0	0	0
0	2000	0	0	0	0
0	2000	0	0	0	0
0	2000	0	0	0	0
0	2000	0	0	0	0
0	2000	0	0	0	0
0	2000	0	0	0	0
0	2000	0	0	0	0
0	2000	0	0	0	0
0	2000	0	0	0	0
0	2000	0	0	0	0
0	2000	0	0	0	0
0	2000	0	0	0	0
0	2000	0	0	0	0
0	2000	0	0	0	0



Machine model L60H	SerialNo 621385	Operating Hours 3054.1	Reading Date 18/09/2019
-----------------------	--------------------	---------------------------	----------------------------

Low Engine Oil Pressure
Total number of occurrences = 0

	Op hours	Year	Month	Day	Hour	Minute	Duration (seconds)	Extreme (psi)
*	0	2000	0	0	0	0	0	0
*	0	2000	0	0	0	0	0	0
*	0	2000	0	0	0	0	0	0
*	0	2000	0	0	0	0	0	0
*	0	2000	0	0	0	0	0	0
*	0	2000	0	0	0	0	0	0
*	0	2000	0	0	0	0	0	0
*	0	2000	0	0	0	0	0	0
*	0	2000	0	0	0	0	0	0
*	0	2000	0	0	0	0	0	0
*	0	2000	0	0	0	0	0	0
*	0	2000	0	0	0	0	0	0
*	0	2000	0	0	0	0	0	0
*	0	2000	0	0	0	0	0	0
*	0	2000	0	0	0	0	0	0
*	0	2000	0	0	0	0	0	0
*	0	2000	0	0	0	0	0	0
*	0	2000	0	0	0	0	0	0
*	0	2000	0	0	0	0	0	0
*	0	2000	0	0	0	0	0	0
*	0	2000	0	0	0	0	0	0
*	0	2000	0	0	0	0	0	0
*	0	2000	0	0	0	0	0	0
*	0	2000	0	0	0	0	0	0
*	0	2000	0	0	0	0	0	0
*	0	2000	0	0	0	0	0	0
*	0	2000	0	0	0	0	0	0
*	0	2000	0	0	0	0	0	0
*	0	2000	0	0	0	0	0	0
*	0	2000	0	0	0	0	0	0
*	0	2000	0	0	0	0	0	0
*	0	2000	0	0	0	0	0	0



Machine model	SerialNo	Operating Hours	Reading Date
L60H	621385	3054.1	18/09/2019

**Low Air filter pressure
Total number of occurrences = 0**

Op hours	Year	Month	Day	Hour	Minute	Duration (seconds)
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0



Machine model	SerialNo	Operating Hours	Reading Date
L60H	621385	3054.1	18/09/2019

Engine overspeed, duration
Total number of occurrences = 0

Op hours	Year	Month	Day	Hour	Minute	Duration (seconds)	Extreme value
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0



Machine model L60H	SerialNo 621385	Operating Hours 3054.1	Reading Date 18/09/2019
-----------------------	--------------------	---------------------------	----------------------------

Regeneration aborted
Total number of occurrences = 44750

	Op hours	Year	Month	Day	Hour	Minute	Reason
*	3046	2019	8	1	12	54	0
*	3046	2019	8	1	12	54	0
*	3046	2019	8	1	12	54	0
*	3046	2019	8	1	12	54	0
*	3046	2019	8	1	12	54	0
*	3046	2019	8	1	12	54	0
*	3046	2019	8	1	12	54	0
*	3046	2019	8	1	12	54	0
*	3046	2019	8	1	12	54	0
*	3046	2019	8	1	12	54	0
*	3046	2019	8	1	12	54	0
*	3046	2019	8	1	12	54	0
*	3046	2019	8	1	12	54	0
*	3046	2019	8	1	12	54	0
*	3046	2019	8	1	12	54	0
*	3046	2019	8	1	12	54	0
*	3046	2019	8	1	12	54	0
*	3046	2019	8	1	12	54	0
*	3046	2019	8	1	12	54	0
*	3046	2019	8	1	12	54	0
*	3046	2019	8	1	12	54	0
*	3046	2019	8	1	12	54	0
*	3046	2019	8	1	12	54	0
*	3046	2019	8	1	12	54	0
*	3046	2019	8	1	12	54	0
*	3046	2019	8	1	12	54	0



Machine model	SerialNo	Operating Hours	Reading Date
L60H	621385	3054.1	18/09/2019

Regeneration ignored
Total number of occurrences = 159

Op hours	Year	Month	Day	Hour	Minute	Duration (min)
* 3050	2019	8	2	10	31	76
* 3052	2019	8	20	10	8	0
* 3052	2019	8	20	9	43	2
* 3052	2019	8	15	11	1	0
* 3052	2019	8	9	9	8	2
* 3052	2019	8	21	9	4	11
* 3052	2019	8	2	14	25	4
* 3052	2019	8	2	14	4	16
* 3052	2019	8	2	13	13	13
* 3052	2019	8	9	8	15	2
* 3052	2019	8	2	13	2	5
* 3053	2019	9	18	11	42	20
* 3053	2019	8	21	11	21	12
* 3053	2019	8	21	12	5	8
* 3053	2019	8	21	12	15	0
* 3053	2019	8	21	12	45	6
* 3053	2019	8	23	15	57	3
* 3053	2019	8	29	9	12	8
* 3053	2019	8	29	10	32	1
* 3053	2019	8	29	10	41	1



Machine model	SerialNo	Operating Hours	Reading Date
L60H	621385	3054.1	18/09/2019

Regeneration duration
Total number of occurrences = 63

	Op hours	Year	Month	Day	Hour	Minute	Duration (min)
*	1133	2018	5	7	12	10	32
*	1136	2018	5	8	6	5	45
*	1507	2018	7	26	8	54	3
*	1508	2018	7	26	12	8	40
*	2070	2018	11	21	10	44	3
*	2070	2018	11	21	9	0	2
*	2070	2018	11	21	9	43	10
*	2071	2018	11	21	11	30	21
*	2073	2018	11	26	7	40	45
*	2636	2019	4	15	9	25	2
*	2637	2019	4	15	10	36	8
*	2638	2019	4	15	13	6	6
*	2639	2019	4	16	6	54	3
*	2641	2019	4	16	10	50	0
*	2649	2019	4	17	12	32	15
*	2650	2019	4	18	6	54	6
*	2650	2019	4	17	14	39	0
*	2651	2019	4	18	8	12	45
*	2651	2019	4	18	8	2	1
*	3045	2019	8	1	12	9	46



Machine model L60H	SerialNo 621385	Operating Hours 3054.1	Reading Date 18/09/2019
------------------------------	---------------------------	----------------------------------	-----------------------------------

**High engine coolant temperature
Total number of occurrences = 0**

Op hours	Year	Month	Day	Hour	Minute	Duration (seconds)	Extreme (° F)
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32



Machine model	SerialNo	Operating Hours	Reading Date
L60H	621385	3054.1	18/09/2019

Water level warning in water separator
Total number of occurrences = 10

Op hours	Year	Month	Day	Hour	Minute	Duration (min)
* 0	2000	0	0	0	0	0
* 0	2000	0	0	0	0	0
* 0	2000	0	0	0	0	0
* 0	2000	0	0	0	0	0
* 0	2000	0	0	0	0	0
* 0	2000	0	0	0	0	0
* 0	2000	0	0	0	0	0
* 0	2000	0	0	0	0	0
* 0	2000	0	0	0	0	0
* 0	2000	0	0	0	0	0
* 0	2000	0	0	0	0	0
* 0	2000	0	0	0	0	0
* 515	2017	12	21	9	11	0
* 518	2017	12	21	12	0	0
* 518	2017	12	21	11	53	0
* 521	2017	12	21	15	0	0
* 1694	2018	9	5	9	9	0
* 1695	2018	9	5	9	33	0
* 1695	2018	9	5	9	27	0
* 1695	2018	9	5	9	25	0
* 1695	2018	9	5	9	38	0
* 1695	2018	9	5	9	40	0



Machine model	SerialNo	Operating Hours	Reading Date
L60H	621385	3054.1	18/09/2019

High voltage
Total number of occurrences = 0

Op hours	Year	Month	Day	Hour	Minute	Duration (seconds)	Extreme value
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0





Machine model	SerialNo	Operating Hours	Reading Date
L60H	621385	3054.1	18/09/2019

Low voltage
Total number of occurrences = 0



Op hours	Year	Month	Day	Hour	Minute	Duration (seconds)	Extreme value
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0





Machine model	SerialNo	Operating Hours	Reading Date
L60H	621385	3054.1	18/09/2019



Machine model	SerialNo	Operating Hours	Reading Date
L60H	621385	3054.1	18/09/2019



Machine model	SerialNo	Operating Hours	Reading Date
L60H	621385	3054.1	18/09/2019





Machine model	SerialNo	Operating Hours	Reading Date
L60H	621385	3054.1	18/09/2019

Transmission oil temperature high
Total number of occurrences = 0



Op hours	Year	Month	Day	Hour	Minute	Duration (seconds)	Extreme (° F)
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32





Machine model	SerialNo	Operating Hours	Reading Date
L60H	621385	3054.1	18/09/2019



Machine model	SerialNo	Operating Hours	Reading Date
L60H	621385	3054.1	18/09/2019



Machine model	SerialNo	Operating Hours	Reading Date
L60H	621385	3054.1	18/09/2019





Machine model	SerialNo	Operating Hours	Reading Date
L60H	621385	3054.1	18/09/2019

Transmission oil pressure low
Total number of occurrences = 0



0	Year	Month	Day	Hour	Minute	Duration (seconds)	Extreme (psi)
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0
0	2000	0	0	0	0	0	0





Machine model	SerialNo	Operating Hours	Reading Date
L60H	621385	3054.1	18/09/2019





Machine model	SerialNo	Operating Hours	Reading Date
L60H	621385	3054.1	18/09/2019



Machine model	SerialNo	Operating Hours	Reading Date
L60H	621385	3054.1	18/09/2019




Machine model	SerialNo	Operating Hours	Reading Date
L60H	621385	3054.1	18/09/2019




Machine model	SerialNo	Operating Hours	Reading Date
L60H	621385	3054.1	18/09/2019

HVAC air flow direction in manual mode distribution (h)



HVAC air blower motor speed in manual mode distribution (h)





Machine model	SerialNo	Operating Hours	Reading Date
L60H	621385	3054.1	18/09/2019

AC High Pressure
Total number of occurrences = 0

Op hours	Year	Month	Day	Hour	Minute	Duration (seconds)	Ambient temperature (°F)
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32



Machine model	SerialNo	Operating Hours	Reading Date
L60H	621385	3054.1	18/09/2019



Machine model	SerialNo	Operating Hours	Reading Date
L60H	621385	3054.1	18/09/2019

**High hydraulic oil temperature
Total number of occurrences = 0**

Op hours	Year	Month	Day	Hour	Minute	Duration (seconds)	Extreme (° F)
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32
0	2000	0	0	0	0	0	32



Machine model	SerialNo	Operating Hours	Reading Date
L60H	621385	3054.1	18/09/2019

Low Hydraulic Oil Level
Total number of occurrences = 0

Op hours	Year	Month	Day	Hour	Minute	Duration (seconds)
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0
0	2000	0	0	0	0	0

