VOLVO - INSPECTION REPORT

Volvo, Ec300e - Track Excavators

Images















Comment:

Country: US Date: 05/14/2019 Make: Volvo

Serial number: 310584

Dealer: Arnold Machinery Company

Inspector: Mike seifert Model: Ec300e

Engine S/N: 11793780

Location: Las vegas

Year: 2015 Hours: 2303 Matris hours: 2318

Comment:

Equipped Configuration

[X] Yes EROPS

[X] Yes Air conditioning

] Yes Stick short

[X] Yes Stick medium

] Yes 2 Piece boom

1 Yes Long reach arrangement

] Yes Drill arrangement

] Yes Recycling arrangement

] Yes Demolition arrangement

] Yes Mass excavator arrangement

[] Yes Forestry arrangement

[] Yes Cab risers

] Yes Cab riser hydraulic

[X] Yes Standard car body

] Yes Hydraulic retractable UC

[X] Yes Auxiliary hydraulics

1 Yes Hose rupture valves

[X] Yes Boom float

[X] Yes Attachment circuits

] Yes Leveling blade

[X] Yes Cushion boom cylinder

[X] Yes Proportional joystick controls

[X] Yes Joystick controls

] Yes Thumb - Manual

] Yes Thumb hydraulic

] Yes Counterweight removal sys.

[X] Yes Long undercarriage

] Yes Quick coupler manual 1 Yes Quick coupler hydraulic

] Yes Auto Lube

[X] Yes Travel pedal

Operators Station

Comment:

Seat and armrest

[X] Good

Dash and console

[X] Good

Floor Board/Mat

[X] Good

Cab glass

[X] Good

Mirrors

[X] Good

Interior light

[X] Good

Switches	[X] Good
Wipers	[X] Good
Gauges	[X] Good
Hydraulic controls	[X] Good
Powertrain controls	[X] Good
AC cooling	[X] Good
CAB Interior	[X] Good
Operators station condition summary	
Comment:	
Outside appearanc	ee
Steps	[X] Good
Hand rails	[X] Good
Counterweight /	[X] Good
Bumper	
Grill	[X] Good
Hood	[X] Good
Exhaust stack	[X] Good
Pre-cleaner bowl	[X] Good
Front fenders	[X] Good
Hyd tank	[X] Good
Fuel tank	[X] Good
Car body	[X] Good
Fenders OFM Worlds	[X] Good
OEM Welds Sheet metal	[X] Good
Paint	[X] Good
Outside appearance condition summary	
Comment:	
Safety condition	
Safety decals in place	[X]Yes
Operators manual	[X]No
Safety handles	[X] Good
Seat belt	[X] Good
Horn	[X] Good
Back up alarm	[X] Good
Brake hold	[X] Good
ROPS Structure	[X] Good
Guarding	[X] Good

CAB	[X] Good
Safety condition summary	
Comment:	
Electrical condition	1
Computer	[X] Good
ECM'S	[X] Good
Monitor / Display Wiring harness's	[X] Good
Key switch	[X] Good
Switches	[X] Good
Lighting	[X] Good
Engine preheater	[X] Good
Batteries / Connections	
Battery disconnect	[X] Good
switch Electrical condition summary	
•	
Comment:	
Engine condition	
Oil level OK	[X]Yes
Water in oil	[X] No
Compression	[X]Yes
Blow by	[X] No
Engine knocking	[X] No
CE PLATE	[X]Yes
Oil pressure	[X] Good
Oil leaks	[X] No
EPA DECAL	[X]Yes
Turbo charger	[X] Good
Exhaust manifold	[X] Good
Muffler	[X] Good
Fuel injection system	[X] Good
Head gasket	[X] Good
Head	[X] Good
Fan guard	[X] Good
Belts & pulleys	[X] Good
Wiring harness	[X] Good

Starter	[X] Good
Alternator	[X] Good
Seals & gaskets	[X] Good
Engine mounts	[X] Good
Brackets	[X] Good
AC Compressor	[X] Good
Air filters	[X] Good
Engine condition summary	
Comment:	
COMMENT.	
Cooling system	
Coolant color	Red
Radiator	[X] Good
Water pump	[X] Good
Oil cooler	[X] Good
Fan	[X] Good
Fan drive	[X] Good
Hoses	[X] Good
Cooling system summary	
Comment:	

Hydraulics condition

[X]Good

Boom cylinders

[X]Good Stick cylinders **Bucket cylinders** [X]Good Blade cylinders [X]Good Thumb cylinders [X]Good Pumps [X]Good [X]Good Valves [X]Good Hoses Fittings [X]Good Tank [X]Good [X]Good Swing bearing [X]Good Swing gear [X] Good Swing motor Hydraulic swivel [X]Good [X]Good Travel motors [X]Good Pump drive Planetaries left [X]Good Planetaries right [X]Good

Controls	[X] Good		
Overall condition	[X] Good		
Summary			
Comment:			
Comment.			
_			
Boom & arm con	dition		
Lower stick pins	[X] Fair Remarks: Slightly worn still operable		
Upper stick pins	[X] Fair Remarks: Slightly worn still operable		
Stick condition	[X] Good		
Stick length	3.05m		
Boom length	6.2 m		
3 .			
Lower boom pins	[X] Fair Remarks: Slightly worn still operable		
Llangu bagan ning	[X] Fair Remarks: Slightly worn still operable		
Upper boom pins	[X] Fair Remarks: Siignily worn still operable		
Boom condition	[X] Good		
Summary			
Comment:			
Bucket & other a	ttachments		
Bucket type / Size	Volvo 60 inch 2.25 capacity		
Coupler type	No coupler		
Bucket serial	21007-02		
Coupler serial	N/a		
Bucket W / Teeth	[X] Yes		
Addtl attachments			
Bolt on smooth	[X]No		
Bolt on edge	[] Good [] Fair [] Poor Remarks:		
Bucket mounts	[X] Fair Remarks: Slightly worn still operable		
Bucket teeth / Segments	[X] Good		
Bucket sides	[X] Good		
Bucket floor	[X] Good		

Bucket bottom	[X] Good
Coupler	[] Good [] Fair [] Poor Remarks:
Boom / Frame	[X] Good
Boom / Bucket pins & bushings	[X] Fair Remarks: Slightly worn still operable
Summary	
Comment:	
Undercarriage con	dition
Roller frame right	[X] Good
Roller frame left	[X] Good
Track adjusters	[X] Good
Overall condition	[X] Good
Links left	
Links left	65%
Internal pin wear left	
Internal pin wear left	65%
External pin wear left	
External pin wear left	65%
Trackshoe/ Grouser left	
Trackshoe/ Grouser left	65%
Front Idler left	
Front Idler left	65%
Sprockets left	
Sprockets left	65%
Front Carrier Rollers left	
Front Carrier Rollers left	65%
Center Carrier Rollers left	
Center Carrier Rollers left	65%
Rear Carrier Rollers	

left

Rear Carrier Rollers left	65%		
Links right			
Links right	65%		
Internal pin wear right			
Internal pin wear right	65%		
External pin wear right			
External pin wear right	65%		
Trackshoe/ Grouser right			
Trackshoe/ Grouser right	65%		
Front Idler right			
Front Idler right	65%		
Sprockets right			
Sprockets right	65%		
Front Carrier Rollers right			
Front Carrier Rollers right	65%		
Center Carrier Rollers right			
Center Carrier Rollers right	65%		
Rear Carrier Rollers right			
Rear Carrier Rollers right	65%		
Bottom rollers S or D			
Undercarriage brand			
Link part number			
Pins & bushings turned	ľ		
Comment:			
Bottom rollers S or	r D		
Bottom rollers S	or D left (mm)	Bottom rollers S or D left (%)	Bottom rollers S or D right (mm)
Bottom rollers S	mm Gor D right (%)	65% Bottom rollers S or D left (mm)	Bottom rollers S or D left (%)
65%	D sight (see)	mm	65%
Bottom rollers S	or D right (mm)	Bottom rollers S or D right (%) 65%	Bottom rollers S or D left (mm) mm
Bottom rollers		Bottom rollers S or D right (mm)	Bottom rollers S or D right (%)
65%		mm	65%
Bottom rollers S	mm	Bottom rollers S or D left (%) 65%	Bottom rollers S or D right (mm) mm
Bottom rollers 5	or D right (%)	Bottom rollers S or D left (mm)	Bottom rollers S or D left (%) 65%

Bottom rollers S or D left (%) 65% Bottom rollers S or D left (mm) Bottom rollers S or D right (mm) Bottom rollers S or D right (mm) Bottom rollers S or D left (%) Bottom rollers S or D right (mm) Bottom rollers S or D left (mm) Bottom rollers S or D right (mm)	Bottom rollers S	or D right (mm)	Bottom rollers S or D right (%)	Bottom rollers S or D left (mm)
Bottom rollers S or D left (mm) Bottom rollers S or D left (mm) Bottom rollers S or D right (%) Bottom rollers S or D left (mm) Bottom rollers S or D right (mm) Bottom rollers S or D left (mm) Bottom rollers S or D right (mm) Bottom rollers S or D right (mm) Bottom rollers S or D left (mm) Bottom rollers S or D left (mm) Bottom rollers S or D left (%) Bottom rollers S or D right (mm)		mm	65%	mm
Bottom rollers S or D left (mm) mm Bottom rollers S or D right (%) 65% Bottom rollers S or D right (mm) Bottom rollers S or D left (mm) 65% Bottom rollers S or D right (mm) Bottom rollers S or D right (mm) 65% Bottom rollers S or D right (mm) Bottom rollers S or D right (mm) 65% Bottom rollers S or D right (mm) 65% Bottom rollers S or D right (mm) mm 65% Bottom rollers S or D right (mm) mm 65% Bottom rollers S or D right (mm) mm 65% Bottom rollers S or D right (mm) mm 65% Bottom rollers S or D right (mm) mm 65% Bottom rollers S or D right (mm) mm 65% Bottom rollers S or D right (mm) 65% Bottom rollers S or D right (mm) mm 65% Bottom rollers S or D right (mm) 65%	Bottom rollers	S or D left (%)	Bottom rollers S or D right (mm)	Bottom rollers S or D right (%)
Bottom rollers S or D right (%) 65% Bottom rollers S or D right (mm) Bottom rollers S or D right (mm) Bottom rollers S or D right (mm) Bottom rollers S or D left (mm) Bottom rollers S or D left (%) Bottom rollers S or D right (mm) Bottom rollers S or D left (mm) Bottom rollers S or D left (mm) Bottom rollers S or D left (%) Bottom rollers S or D right (mm)	65%		mm	65%
Bottom rollers S or D right (%) 65% Bottom rollers S or D right (mm) 65% Bottom rollers S or D right (mm) 65% Bottom rollers S or D left (%) 65% Bottom rollers S or D left (%) 65% Bottom rollers S or D left (mm) 65% Bottom rollers S or D left (%) 65% Bottom rollers S or D right (mm) 65% Bottom rollers S or D right (mm) 65% Comment:	Bottom rollers S	or D left (mm)	Bottom rollers S or D left (%)	Bottom rollers S or D right (mm)
Bottom rollers S or D right (mm) mm Bottom rollers S or D left (%) Bottom rollers S or D left (mm) Bottom rollers S or D left (mm) Bottom rollers S or D left (%) Bottom rollers S or D left (%) Bottom rollers S or D left (%) Bottom rollers S or D right (mm) mm Bottom rollers S or D right (%) 65% Comment:		mm	65%	mm
Bottom rollers S or D right (mm) mm Bottom rollers S or D right (%) Bottom rollers S or D left (%) Bottom rollers S or D right (mm) Bottom rollers S or D right (%) Bottom rollers S or D left (%) Bottom rollers S or D right (%) Bottom rollers S or D right (%) Bottom rollers S or D right (mm) mm Bottom rollers S or D right (mm) mm 65% Comment:	Bottom rollers S	or D right (%)	Bottom rollers S or D left (mm)	Bottom rollers S or D left (%)
Bottom rollers S or D left (%) 65% Bottom rollers S or D left (mm) Bottom rollers S or D left (mm) Bottom rollers S or D left (mm) mm 65% Bottom rollers S or D left (%) Bottom rollers S or D left (%) Bottom rollers S or D right (mm) mm 65% Bottom rollers S or D right (mm) mm 65% Comment:	65%		mm	65%
Bottom rollers S or D left (%) 65% Bottom rollers S or D right (mm) 65% Bottom rollers S or D left (mm) 65% Bottom rollers S or D left (%) 65% Bottom rollers S or D left (%) 65% Comment: Bottom rollers S or D right (%) 65% Comment:	Bottom rollers S	or D right (mm)	Bottom rollers S or D right (%)	Bottom rollers S or D left (mm)
Bottom rollers S or D left (mm) mm Bottom rollers S or D right (%) Bottom rollers S or D right (%) 65% Bottom rollers S or D right (mm) mm Comment:		mm	65%	mm
Bottom rollers S or D left (mm) mm Bottom rollers S or D left (%) Bottom rollers S or D right (mm) mm 65% Comment:	Bottom rollers	S or D left (%)	Bottom rollers S or D right (mm)	Bottom rollers S or D right (%)
Bottom rollers S or D right (%) 65% Comment:	65%		mm	65%
Bottom rollers S or D right (%) 65% Comment:	Bottom rollers S	or D left (mm)	Bottom rollers S or D left (%)	Bottom rollers S or D right (mm)
65% Comment:		mm	65%	mm
Comment:	Bottom rollers S	or D right (%)		
	65%			
	Comment:			
0				
General Comments	General Comments	S		
Legend (5 star rating) []5 []4 []3 []2 []1	Legend (5 star rating)	[]5 []4 []3 []2 []1	
Paint general [] Good [] Fair [] Poor Remarks:	Paint general	[] Good [] Fair [] Poor Remarks:	
Comment:	Comment:			